

270°

Area servita
Slewing range

C Model

[Read More](#)

SKU:

Price:

Stock: instock

Categories: [Cranes](#), [Hercules](#)

Product Description

“C” channel profile jib model Capacity range 125 to 1000 kg Jib length 3 to 7 m This model is characterized by the extreme ease of handling due to the low inertia deriving from the light weight. The jib is normally fitted with a special “channel” profile trolley, which allows it to be easily push/pull

C Model

Column crane



L series | manual tilting

[Read More](#)

SKU:

Price:


Stock: instock

Categories: [Hercules](#)

Product Description

Three pad vacuum lifter Capacity: 500 to 1500 kg Suitable for lifting solid material, not porous, having flat surface: cut-to-size panels, tiles, strips, stairs, small slabs, metal plates, window's glasses. Fast and simple handling unit, compact and sturdy constructed, suitable for continuous and heavy-duty use. Ideal under the hook lifting device, perfect complement to lifting equipment. Equipped with with vacuum reservoir, built-on safety devices with acoustic and luminous alarm systems, vacuum gauge. A big step ahead is our distinctive rubber sealing, flexible, resistant and long-lasting, that allows gripping of any material finishing (raw, polished, honed,

flamed, bush-hammered, sand blasted, etc.) **Several configurations available, make the suction pad a versatile and safe tool:**



L series | pneumatic tilting

[Read More](#)

SKU:

Price:

Stock: instock

Categories: [Hercules](#)

Product Description

Three pad vacuum lifter Capacity: 500 to 1500 kg Suitable for lifting solid material, not porous, having flat surface: cut-to-size panels, tiles, strips, stairs, small slabs, metal plates, window's glasses. Fast and simple handling unit, compact and sturdy constructed, suitable for continuous and heavy-duty use. Ideal under the hook lifting device, perfect complement to lifting equipment. Equipped with with vacuum reservoir, built-on safety devices with acoustic and luminous alarm systems, vacuum gauge. A big step ahead is our distinctive rubber sealing, flexible, resistant and long-lasting, that allows gripping of any material finishing (raw, polished, honed, flamed, bush-hammered, sand blasted, etc.)

Several configurations available, make the suction pad a versatile and safe tool:



M series | manual tilting

[Read More](#)

SKU:

Price:

Stock: instock

Categories: [Hercules](#)

Product Description

Suitable for lifting solid material, not porous, having flat surface: cut-to-size panels, tiles, stairs, small slabs, metal panels, honeycomb panels, steel elements, window's glasses, double-glazed windows. Fast and simple handling unit, compact and sturdy constructed, suitable for continuous and heavy-duty use. Ideal under the hook lifting device, perfect complement to lifting equipment, manual and [pneumatic](#) option available. Equipped with vacuum reservoir, built-on safety devices with acoustic and luminous alarm systems, vacuum gauge. A big step ahead is our distinctive rubber sealing, flexible, resistant and long-lasting, that allows gripping of any material finishing (raw, polished, honed, flamed, bush-hammered, sand blasted, etc.) **Several configurations available, make the suction pad a versatile and safe tool**



M series | pneumatic tilting

[Read More](#)

SKU:

Price:

Stock: instock

Categories: [Hercules](#)

Product Description

Suitable for lifting solid material, not porous, having flat surface: cut-to-size panels, tiles, strips, stairs, small slabs, metal plates, window's glasses.

Fast and simple handling unit, compact and sturdy constructed, suitable for continuous and heavy-duty use. Ideal under the hook lifting device, perfect complement to lifting equipment. Equipped with with vacuum reservoir, built-on safety devices with acoustic and luminous alarm systems, vacuum gauge. A big step ahead is our distinctive rubber sealing, flexible, resistant and long-lasting, that allows gripping of any material finishing (raw, polished, honed, flamed, bush-hammered, sand blasted, etc.) **Several configurations available, make the suction pad a versatile and safe tool:**



S series | 2 pads | manual tilting

[Read More](#)

SKU:

Price:

Stock: instock

Categories: [Hercules](#)

Product Description

Two pad vacuum lifter Capacity: 250 to 1000 kg *Suitable for lifting solid material, not porous, having flat surface: cut-to-size panels, tiles, strips, stairs, small slabs, metal plates, window's glasses.* Fast and simple handling unit, compact and sturdy constructed, suitable for continuous and heavy-duty use. Ideal under the hook lifting device, perfect complement to lifting equipment. Equipped with with vacuum reservoir, built-on safety devices with acoustic and luminous alarm systems, vacuum gauge. A big step ahead is our distinctive rubber sealing, flexible, resistant and long-lasting, that allows gripping of any material finishing (raw, polished, honed, flamed, bush-hammered, sand blasted, etc.) **Several configurations available, make the suction pad a**

versatile and safe tool:



S series | 3 pads | manual tilting

[Read More](#)

SKU:


Price:

Stock: instock

Categories: [Hercules](#)

Product Description

Three pad vacuum lifter Capacity: 370 to 1500 kg Suitable for lifting solid material, not porous, having flat surface: cut-to-size panels, tiles, strips, stairs, small slabs, metal plates, window's glasses. Fast and simple handling unit, compact and sturdy constructed, suitable for continuous and heavy-duty use. Ideal under the hook lifting device, perfect complement to lifting equipment. Equipped with with vacuum reservoir, built-on safety devices with acoustic and luminous alarm systems, vacuum gauge. A big step ahead is our distinctive rubber sealing, flexible, resistant and long-lasting, that allows gripping of any material finishing (raw, polished, honed, flamed, bush-hammered, sand blasted, etc.) **Several configurations available, make the suction pad a versatile and safe tool:**



VL series | pneumatic tilting

[Read More](#)

SKU:

Price:

Stock: instock

Categories: [Hercules](#)

Product Description

Three pad vacuum lifter Capacity: 400 to 1200 kg Suitable for lifting solid material, not porous, having flat surface: cut-to-size panels, tiles, strips, stairs, small slabs, metal plates, window's glasses. Fast and simple handling unit, compact and sturdy constructed, suitable for continuous and heavy-duty use. Ideal under the hook lifting device, perfect complement to lifting equipment. Equipped with with vacuum reservoir, built-on safety devices with acoustic and luminous alarm systems, vacuum gauge. A big step ahead is our distinctive rubber sealing, flexible, resistant and long-lasting, that allows gripping of any material finishing (raw, polished, honed, flamed, bush-hammered, sand blasted, etc.) **Several configurations available, make the suction pad a versatile and safe tool:**

X series | manual tilting


[Read More](#)

SKU:

Price:

Stock: instock

Categories: [Hercules](#), [vacuum lifters](#)



Product Description

Suitable for lifting solid material, not porous, having flat surface: cut-to-size panels, tiles, strips, stairs, small slabs, metal plates, window's glasses. Fast and simple handling unit, compact and sturdy constructed, suitable for continuous and heavy-duty use. Ideal under the hook lifting device, perfect complement to lifting equipment. Equipped with with vacuum reservoir, built-on safety devices with acoustic and luminous alarm systems, vacuum gauge. A big step ahead is our distinctive rubber sealing, flexible, resistant and long-lasting, that allows gripping of any material finishing (raw, polished, honed, flamed, bush-hammered, sand blasted, etc.) **Several configurations available, make the suction pad a versatile and safe tool:**